

## ACA 503 Camera Specifications (720P)



**Applicable Model: MD833H/MD600/MD300**

## Change History

File Name	ACA 503 Camera Specifications		
Project	MD833H/MD600/MD300	Creation Date	2025/9/2 2026/3/5
Subproject	Accessory Specifications	Total Pages	5
Version	V1.1	Confidential	External Documentation

## Document Changelog




Version	Date	Modification
1.0	2025-09-02	Draft
1.1	2026-03-05	Update device parameters

## Contents

1 Copyright and Disclaimer .....	- 4 -
2 Product Specifications .....	- 4 -
3 Standard Configuration .....	- 5 -

## 1 Copyright and Disclaimer

Copyright © Meitrack Group 2026. All rights reserved.

 ,  and  are trademarks that belong to Meitrack Group and its subsidiary.

MEITRACK reserve the right to alter or amend the design, model and specification without prior notice.

Without prior written consent of Meitrack Group, this user manual, or any part thereof, may not be reproduced for any purpose whatsoever, or transmitted in any form, either electronically or mechanically, including photocopying and recording.

Meitrack Group shall not be liable for direct, indirect, special, incidental, or consequential damages (including but not limited to economic losses, personal injuries, and loss of assets and property) caused by the use, inability, or illegality to use the product or documentation.

## 2 Product Specifications

Item	Specifications
Model	ACA503
Mod type	FH8536H+GC2053
Resolution	AHD 720P
Formality	PAL
Total pixels	PAL:1280(H)×720(V)
Minimum illumination	0.1LUX
Electronic shutter	PAL: 1/50~1/100,000s
Signal-to-noise Ratio (SNR or S/N)	>52dB
White balance	Auto white balance
IR-Cut	Color/black and white, IRCUT switch
Pigtail length	800MM
Waterproof rating	IP68
Audio	Without audio
Infrared light	18 pcs 850 infrared lights
Video output	1.0Vp-p composite output, 75Ω
Lens	2.8MM
Angle	Horizontal 100°
Port	M12 four-core aviation head interface
Power	DC 12V±3V
Operating temperature	-30°C~+75°C
Storage temperature	-25°C~+75°C
Operating humidity	Relative humidity below 90%
Weight	270g
Package	Accessories screw package, certificate of conformity

### 3 Standard Configuration

Order	Name	Quantity	Unit	Remarks
1	In-car camera	1	Pcs	Standard
2	Install screw kit	2	Pcs	Standard



If you have any questions, do not hesitate to email us at [info@meitrack.com](mailto:info@meitrack.com).